



A driving force for health equity

A Short Guide to the ADVANCE Clinical Research Network (CRN)

Updated: 5/11/2022

Purpose of this Document

This document is a high-level summary of the ADVANCE Clinical Research Network (CRN). More detailed and technical information about the ADVANCE CRN and its contents is available in the “ADVANCE User Manual and Data Dictionary.”

Overview of ADVANCE

The Accelerating Data Value Across a National Community Health Center Network (ADVANCE) Clinical Research Network (CRN), funded by the Patient-Centered Outcomes Research Institute (PCORI), integrates outpatient electronic health record (EHR) data for Community Health Center (CHC) patients across the United States and integrates community data for these patients. The ADVANCE CRN serves as a ‘community laboratory’ for engaging vulnerable patients in people-centered research. As the nation’s largest safety-net community laboratory, consisting of researchers, patients and clinicians, ADVANCE works to improve health outcomes, policy, and primary care research among vulnerable and underserved populations utilizing rigorous scientific methods.

Background

The PCORI-sponsored Patient-Centered Clinical Research Network (PCORnet) was created in 2014 to improve the nation’s capacity to conduct comparative effectiveness research by creating a large, highly representative electronic data infrastructure for conducting clinical outcomes research. PCORnet consists of:

- 8 Clinical Research Networks (CRNs): ADVANCE, GPC, INSIGHT, OneFlorida, PaTH, PEDSnet, REACHnet, STAR
- A Steering Committee comprised of PCORnet member networks and patient representative

ADVANCE is led by the OCHIN in partnership with Health Choice Network (HCN), Fenway Health, and Oregon Health and Science University (OHSU). ADVANCE is:

- A national network of CHC healthcare systems
- Building a ‘community laboratory’ of CHCs with longitudinal outpatient EHR data on patients seen since 1/1/2012
- Bringing in community-level data to help assess environmental/external factors that impact health

All data stored in the ADVANCE Research Data Warehouse (RDW) contain coded patient IDs. Crosswalks to actual patient identifiers are kept in a secure location for patient de-duplication during data loads and for use by analytical staff as needed for approved research protocols (e.g., re-identification for a clinical trial).

The ADVANCE Research Data Warehouse (RDW) and the PCORnet® Common Data Model (CDM):

The ADVANCE Research Data Warehouse (RDW) is an expansion of the PCORnet Common Data Model (CDM). The RDW contains all tables and fields defined for the PCORnet CDM, plus additional tables and fields that the ADVANCE CRN includes to support health equity research. These fields are elements unique to CHCs that collect data for HRSA Uniform Data System (UDS) and other CHC-related reporting purposes, which are typically not collected by non-CHC clinics. These fields include the Federal Poverty Level (FPL), patient primary language, migrant/seasonal worker status, homeless status, veteran status, and others. RDW data are cleaned, validated, and research-ready.

RDW and CDM Patient Inclusion Criteria:

Data are included from the ADVANCE ambulatory data partners (OCHIN, Fenway, HCN, and OHSU) on any patient seen in their respective systems who was defined as “active” at the time of a data extract. Patients are active if they have had a primary care, behavioral health, or dental visit in one of the networks’ clinics within the past three years as of the date of the data extract. For each active patient, all available historic data are then included in the RDW as far back in time as available. In addition, geographic data, referred to as Community Vital Signs (CVS), are then also included for patients seen in the OCHIN network.

ADVANCE started loading patient on 1/1/2015, so the RDW includes patients deemed as “active” starting on 1/1/2012. Any patients that become inactive over time (i.e., were included in the RDW as “active” after 1/1/2012 but not seen in the past three years as of any given extract date) are not removed from the RDW but are flagged as “inactive”. Incarcerated patients and their encounters are excluded from the CDM.

Datavant Death Index (DDI):

The DDI is a combined dataset of death records assembled from government death records and third-party obituary data (e.g. funeral homes, newspapers) that can be linked to patient records in ADVANCE datasets in a privacy-preserving manner, improving the quality of mortality data. Datasets utilizing DDI will include one additional field called Date of Death, a date field that includes the month and year of death and the day portion set to “01”. Note that there is no additional data available such as cause of death.

The PCORnet® COVID-19 Common Data Model (COVID-19 CDM):

The COVID-19 CDM is a separate data warehouse from the ADVANCE RDW. The COVID-19 CDM contains all tables and fields defined for the PCORnet CDM but includes only patients who are COVID-19 positive, suspected of being positive, and tested as COVID-19 negative.

COVID-19 CDM Patient Inclusion Criteria*:

The base criteria for patient inclusion in the COVID-19 CDM are the same as those of the primary ADVANCE RDW/CDM, but with the following additional requirements:

- Patients must have one or more COVID and COVID related diagnoses on or after 1/1/2020,
- OR patients must have at least one or more records of certain COVID-related specified lab tests (does not have to be a positive result),
- OR a patient had a prescription for Remdesivir.

*PLEASE SEE THE DATA DICTIONARY FOR A COMPLETED LIST OF COVID-19 INCLUSION CODES.

ADVANCE and its Partners

The ADVANCE RDW includes data from two healthcare networks (OCHIN and HCN) and two healthcare organizations (Fenway Health and OHSU). All clinics represented within ADVANCE provide care for low-income, uninsured, and vulnerable patients across the country. The ADVANCE RDW contains data from all OCHIN member organizations for patients seen since 1/1/2012, including both current and former members.

OCHIN and HCN are networks of healthcare organizations and community health organizations of varying sizes, each with their own clinics, providers, and patients. Fenway Health and OHSU are themselves healthcare organizations containing two to four ambulatory clinics each.

ADVANCE overall statistics (incl. all partners):

- 8,067,649 total distinct patients over all time
- 5,118,212 distinct patients with a visit within the last 3 years
- 4,321,005 distinct patients with a medical ambulatory visit in the last 3 years
- Clinic sites in 32 states
- 195 health systems containing 1,821 clinic sites

Following is information for each partner organization within ADVANCE. More information is available on each organization's web site:

OCHIN, Inc.: Based in Portland, Oregon, OCHIN is a Health Center-Controlled Network (HCCN). The OCHIN cohort within the ADVANCE RDW includes:

- 5,300,113 total distinct patients over all time
- 3,657,125 distinct patients with a visit within the last 3 years
- 3,243,516 distinct patients with a medical ambulatory visit in the last 3 years
- Member clinics in 29 states
- 168 member organizations with 1,305 clinics

Health Choice Network (HCN): HCN is a Health Center-Controlled Network (HCCN) founded in Florida by a group of FQHCs collaborating to recover from Hurricane Andrew. The HCN cohort contains:

- 2,649,710 total distinct patients over all time
- 1,379,464 distinct patients with a visit within the last 3 years
- 999,474 distinct patients with a medical ambulatory visit in the last 3 years
- Member clinics in 8 states
- 25 health systems with 510 clinics

Fenway Health: Founded in 1971 as a free community clinic for the Fenway neighborhood of Boston, Fenway Health serves Boston’s lesbian, gay, bisexual and transgender community and the greater Fenway neighborhood. The Fenway cohort of the RDW includes:

- 81,164 distinct patients over all time
- 47,030 distinct patients with a visit within the last 3 years
- 47,030 distinct patients with a medical ambulatory visit in the last 3 years
- Member clinics in 1 state
- 1 health system with 3 clinics

Oregon Health & Science University (OHSU) Department of Family Medicine: OHSU is the Oregon’s only academic health center. It offers an array of services as the state’s most comprehensive health care provider, from the education of the next generation of clinicians and biomedical researchers to achieving breakthroughs and innovations in multiple fields of health care. The ADVANCE RDW contains data from the Federally Qualified Health Centers (FQHCs) within the OHSU health system:

- 36,662 distinct patients over all time
- 34,593 distinct patients with a visit within the last 3 years
- 30,985 distinct patients with a medical ambulatory visit in the last 3 years
- Member clinics in 1 state
- 1 health system with 3 clinics

Data Refresh Timelines


For each data refresh, a log table is kept which documents any unexpected data changes. Data profiles of all tables and fields in the CDM are run regularly to identify potential data quality issues at the field level. We are building out the breadth of the data and continuing to explore the expansion of the RDW to meet future data needs.

- OCHIN and HCN data are updated weekly. This includes the updating of the geographic CVS linkages for OCHIN patients, and ZCTA-level linkages for HCN patients.
- Fenway and OHSU data are updated quarterly. (Fenway and OHSU patients are not linked to CVS data.)

Descriptions of RDW Tables

The following table lists and describes the contents of each table (i.e., domain) in the ADVANCE RDW. For a complete, detailed list of all tables and the fields within each table, see the “ADVANCE User Manual and Data Dictionary”.

Appendix A: ADVANCE Patient Distribution by Clinic's State




Health Systems	Clinic Sites	Cities	States
194	1823	556	32

Appendix B: ADVANCE Selected Patient Characteristics

Counts are for patients in the ADVANCE RDW with at least one ambulatory encounter, telemedicine, dental encounter, emergency department encounter, institutional professional consult, inpatient hospital stay, non-acute institutional stay, observational stay, or “unknown” encounter type between 1/1/2012 and 3/31/2022.

			Patients 18 and older by Condition		
Sex	Patients	%	Condition	Patients	%
Female	4,466,131	55.22%	Diabetic (Type I or II)	554,472	8.69%
Male	3,612,686	44.67%	Diabetic Type I	20,997	0.33%
No information	5,741	0.07%	Diabetic Type II	533,475	8.36%
Unknown	2,270	0.03%	Obese	1,828,979	28.68%
Other	1,464	0.02%	Obese & Diabetic (Type I or II)	304,336	4.77%
Total	8,088,292	100%	Alpha-1	465	0.01%
			Total Adults	6,377,643	100%




Patients by race and ethnicity:

Race \ Hispanic Ethnicity	Not Hispanic	Hispanic	Unknown Ethnicity	No information	Refuse to answer	Total	%
White	2,477,513	2,210,127	71,275	75,766	59,099	4,893,780	60.3%
Black or African American	1,351,819	87,772	22,249	28,176	37,529	1,527,545	18.9%
Asian	314,073	7,898	8,666	10,469	7,036	348,142	4.3%
Unknown	102,340	258,485	234,473	1,676	3,196	600,170	7.5%
Refuse to answer	64,110	215,537	4,203	11,268	51,431	346,549	4.3%
No Information	11,801	22,746	5,533	72,353	2,406	114,839	1.4%
Multiple race	66,301	51,528	1,959	4,121	4,557	128,466	1.6%
American Indian or Alaskan Native	36,077	22,757	1,882	791	1,056	62,563	0.8%
Native Hawaiian or Other Pacific Islander	35,275	13,284	1,257	335	3,091	53,242	0.7%
Other	316	11,175	169	1,331	10 or less	12,996	0.2%
Total	4,459,625	2,901,309	351,666	206,286	169,406	8,088,292	100%
%	55.1%	35.9%	4.3%	2.6%	2.1%	100%	

Patients by current age:

Age Category	Patients	%
Unknown	23	0.0%
0-9	770,999	9.5%
10-19	1,181,607	14.6%
20-29	1,299,715	16.1%
30-39	1,371,485	17.0%
40-49	1,067,321	13.2%
50-59	975,410	12.1%
60-69	839,760	10.4%
70-79	392,107	4.8%
80-89	141,015	1.7%
90-99	43,214	0.5%
99+	5,609	0.1%
Total	8,088,292	100%




Patients by primary language:

Patients by primary language - Top 10		
Primary Language	Patients	%
English	5,967,853	73.8%
Spanish; Castilian	1,620,537	20.0%
Unknown	154,508	1.9%
Other language	145,187	1.8%
Chinese	41,582	0.5%
Vietnamese	38,052	0.5%
Somali	30,701	0.4%
Russian	23,632	0.3%
Portuguese	22,666	0.3%
Persian	22,151	0.3%
Arabic	21,423	0.3%
Total Patients	8,088,292	100%

Patients by their most recent Federal Poverty Level (FPL):

FPL Category	Patients	%
1. 100% and below	4,321,909	53.4%
2. 101 - 150%	829,472	10.3%
3. 151 - 200%	379,170	4.7%
4. Over 200%	691,254	8.5%
5. Unknown	1,866,487	23.1%
Total Patients	8,088,292	100%



Patients by known payer type on most recent visit*

Payer Type	Patients	%
Medicaid	2,920,480	36.1%
Uninsured	1,852,625	22.9%
Private Insurance	1,340,908	16.6%
Medicare	498,834	6.2%
Other Public Payer	205,853	2.5%
Private	62,690	0.8%
Managed Care	10,193	0.1%
Blue Cross	3,940	0.0%
Commercial	975	0.0%
Other	734	0.0%
Tricare	217	0.0%
Medicaid Washington	114	0.0%
Agency/Grant	73	0.0%
Veterans	47	0.0%
Worker's Comp	41	0.0%
Medicaid Other	33	0.0%
Self-Pay	26	0.0%
NonSponsored	16	0.0%
Shriners	10 or less	0.0%
Courthold	10 or less	0.0%
Total Patients	6,897,799	100%

*Table excludes patients with Payer Type values of 'Unknown' or 'No Information'. Total count is based on patients with payers only.



A driving force for health equity

Domains in RDW	Description	Fields Specific to Domains
Community Vital Signs	Aggregate data of social and environmental factors that may impact patient health.	College graduates, Median income, Professional jobs, FPL levels, Unemployment, Race, Residential segregation, etc.
Condition	Representation of a patient's diagnosed and self-reported health conditions and diseases. Includes medical history and current state.	Condition ID, Report and Resolve date, Onset date, Status, Condition code, Type, and Source, etc.
Death	Reported mortality information for patients.	Source, etc.
Death Cause	The individual causes associated with a reported death.	Death cause, Code, Type, Source, and Confidence
Demographic	Current (most recently available patient information at time of data refresh) direct attributes of individual patients with at least one medical ambulatory encounter on or after 1/1/2012. No infants younger than 31 days at time of data extract.	Birth date and time, Sex, Race, Language, Family size, Income, FPL, Payor, Migrant and Homeless Status, Veteran Status, Sexual Orientation, Gender Identity, etc.
Diagnosis	Indication of the results of diagnostic processes and medical coding within healthcare delivery.	Diagnosis ID, Encounter type, Diagnosis code, type, and source
Dispensing	Outpatient pharmacy dispensing, such as prescriptions filled through a neighborhood pharmacy with a claim paid by an insurer.	Dispensing ID, Prescribing ID, NDC, Supply, Amount, etc.
Encounter	Description of the interactions between patients and providers within the context of healthcare delivery.	Encounter type, Admit and Discharge dates, Provider type, Facility location and ID, Discharge status, DRG, Migrant and Homeless status, Admitting source, Income, FPL, Payor, etc.
Enrollment	Designed to identify periods during which a person is expected to have complete data capture for one enrollment period.	Enrollment start date, end date, etc.
Family Linkage	Contains mother's patient ID where a relationship has been determined by one or more data sources and algorithms.	Mother's guarantor, Coverage, Medicaid case number, Address, etc.
General Observations	Table to store data needed for funded studies, which isn't captured in other CDM tables, such as diabetic foot exams not recorded as procedure codes in the EHR.	Provider ID, observation date, code, coding system type, numeric value, qualitative value, units, etc.
Immunization	Immunizations ordered and administered within healthcare delivery. Contains historical, patient-reported immunizations administered elsewhere.	Immunization date, CVX code, CPT code, Route, Order date, Vaccine lot number, Expiration date, etc
Lab Result	Quantitative and qualitative measurements from blood and other body specimens. These standardized measures are defined the same way across all PCORnet networks.	Lab result ID, Lab name, Specimen source, LOINC, Priority, Result, Procedure code and Type, Order and Specimen date, Result date and Time, Qualitative and Quantitative result, Unit, Range, etc.
Medication Administration	Records of medications administered to patients by healthcare providers. These administrations may take place in any settings, including inpatient, outpatient or home health encounters.	Provider ID, start / stop dates, units, etc.
Patient Reported Outcome Common Measures	Standardized measures that are defined in the same way across all PCORnet networks. Recorded at individual item level: question/statement, paired with its standardized response options.	PRO CM ID, PRO item, PRO LOINC, Response, Method, Mode, CAT, Code, etc.
Prescribing	Provider orders for medication dispensing and/or administration.	Prescribing ID, Order date and Time, Quantity, Refills, Days supply, Frequency, Basis, etc.
Procedures	Description of the discreet medical interventions and diagnostic testing, such as surgical procedures, administered within healthcare delivery.	Procedure ID, Encounter type, Procedure code and type, etc.
Surgical History	Patient's self-reported history of past surgical procedures.	Surgical history ID, History date, Procedure date, Code, Type, and Source
Vital	Vital signs (height, weight, and blood pressure) to represent a patient's current state.	Vital ID, Source, Height, Weight, BP, BMI, Smoking, Tobacco use and Type, etc.
OBS_Clin	Standardized qualitative and quantitative clinical observations about a patient	EncounterID, Obsclin_Providerid, Obsclin_Date, Obsclin_Type, Obsclin_code, etc.
OBS_Gen	Table to store everything else.	Obsgenid, Patid, Encounterid,Obsgen_providerid, Obsgen_start_date, Obsgen_type, etc.